ELSEVIER

Talanta 60 (2003) 1289–1296

Talanta

www.elsevier.com/locate/talanta

Volume Contents

Volume 60 (2003)

No. 1 **28 May 2003**

Regular papers

A highly sensitive spectrophotometric determination of chromium using leuco Xylene cyanol FF
H.D. Revanasiddappa and T.N. Kiran Kumar (Mysore, India). 1

Sensitive detection of beryllium using a fiber optic liquid waveguide cell
G. Deng (Alexandria, VA, USA), L. Wei and G.E. Collins (Washington, DC, USA). 9

Simultaneous determination of lead(II) and cadmium(II) at a diacetyldioxime modified carbon paste electrode by differential pulse stripping voltammetry
C. Hu, K. Wu, X. Dai and S. Hu (Wuhan, China) 17

Polypyrrole/poly(methylmethacrylate) blend as selective sensor for acetone in lacquer
L. Ruangchuay, A. Sirivat (Bangkok, Thailand) and J. Schwank (Ann Arbor, MI, USA) 25

Voltammetry determination of trace manganese with pretreatment glassy carbon electrode by linear sweep voltammetry
J. Di and F. Zhang (Suzhou, PR China). 31

Quantitation of isomeric ethyl pyridine mixtures by multivariate calibration applied to ion-molecule reaction/collision-induced dissociation triple-stage mass spectra
C.G. Zampronio, L.A.B. Moraes, M.N. Eberlin and R.J. Poppi (Campinas, Brazil). 37

Application of sequential injection-monosegmented flow analysis (SI-MSFA) to spectrophotometric determination of sulfide in simulated waters samples
M.S.P. Silva, C.X. Galhardo and J.C. Masini (São Paulo, Brazil) 45

Real-time immunoassay of ferritin using surface plasmon resonance biosensor
X. Cui, F. Yang, Y. Sha and X. Yang (Jilin, People's Republic of China) 53

Simultaneous kinetic-spectrophotometric determination of periodate–bromate and iodate–bromate mixtures using the H-point standard addition method
A. Afkhami and A.R. Zarei (Hamadan, Iran). 63

Mercury(II) ion-selective polymeric membrane sensor based on a recently synthesized Schiff base
M.H. Mashhadizadeh and I. Sheikhshoaie (Kerman, Iran) 73

New lead (II) selective membrane potentiometric sensors based on chiral 2,6-bis-pyridinecarboximide derivatives
S.S.M. Hassan, M.H. Abou Ghalia, A.-G.E. Amr and A.H.K. Mohamed (Cairo, Egypt) 81

Acid–base equilibria of phthalic acid in saline media: ion association from Pitzer equations
C. Rey-Castro, R. Castro-Varela, R. Herrero and M.E. Sastre de Vicente (Coruña, Spain) 93

Evaluation of different permanent modifiers for the determination of arsenic in environmental samples by electrothermal atomic absorption spectrometry
É.C. Lima, J.L. Brasil and J.C.P. Vaghetti (Porto Alegre, Brazil) 103

Determination of 2,4-dichlorophenoxyacetic acid and its major transformation product in soil samples by liquid chromatographic analysis
O.P. de Amarante Jr. (Maranhao, Brazil), N.M. Brito (Sao Paulo, Brazil), T.C.R. dos Santos, G.S. Nunes (Maranhao, Brazil) and M.L. Ribeiro (São Paulo, Brazil) 115

Spectrophotometric determination of trace lead in water after preconcentration using mercaptosephadex
L. Zaijun (Wuxi, China), Y. Yuling (Nanjing, China), T. Jian (Wuxi, China) and P. Jiaomai (Shanghai, China) 123

Continuous on-line feedback based flow titrations. Complexometric titrations of calcium and magnesium
K.D. Jo and P.K. Dasgupta (Lubbock, TX, USA) 131
Adsorption of Pb^{2+} ions on nanosized γ-Fe_2O_3: formation of surface ternary complexes on ligand complexation
N.N. Mallikarjuna and A. Venkataraman (Gulbarga, India) 139
Preparation of ethambutol–copper(II) complex and fabrication of PVC based membrane potentiometric sensor for copper
V.K. Gupta, R. Prasad and A. Kumar (Roorkee, India) 149
In vitro detecting ultra-trace novalgin in medicine and human urine by chemiluminescence
Z.-h. Song and N. Zhang (Xi'an, China) 161
Chromotropic acid–formaldehyde reaction in strongly acidic media. The role of dissolved oxygen and replacement of concentrated sulphuric acid
E. Fagnani, C.B. Melios, L. Pezza and H.R. Pezza (Araraquara, Brazil) 171
Potentiometric flow injection determination of manganese(II) by using a hexacyanoferrate(III)–hexacyanoferrate(II) potential buffer
H. Ohura, Y. Ishibashi, T. Imato and S. Yamasaki (Fukuoka, Japan) 177
Near infra-red reflectance spectroscopic determination of metformin in tablets
I.H.I. Habib and M.S. Kamel (Cairo, Egypt) 185
Spectrophotometric flow-injection analysis of mercury(II) in pharmaceuticals with *p*-nitrobenzoxosulfamate
M. Andac, A. Asan, Y. Bekdemir, H. Kutuk and I. Isildak (Kurupelit-Samsun, Turkey) 191
Determination of lead and nickel in Apple-Leaves and sea-water by electrothermal atomic absorption spectrometry after solid-phase extraction using Chromosorb-107 filled in a syringe
S. Akman and N. Tokman (Istanbul, Turkey) 199
Renewable sol–gel carbon ceramic electrodes modified with a Ru-complex for the amperometric detection of L-cysteine and glutathione
A. Salimi and S. Pourbeyram (Sanandaj, Iran) 205

Short communication
The uses of 1-(2-pyridylazo) 2-naphtol (PAN) impregnated Ambersorb 563 resin on the solid phase extraction of traces heavy metal ions and their determinations by atomic absorption spectrometry
I. Narin (Nigde, Turkey) and M. Soylak (Kayseri, Turkey) 215

Calendar of forthcoming meetings N1

Nos. 2–3 **13 June 2003**

Foreword
A.M. García-Campaña (Granada, Spain) 223

Regular papers
Influence of polymyxins on the structural dynamics of *Escherichia coli* lipid membranes
A. Clausell, M. Pujol, M.A. Alsina and Y. Cajal (Barcelona, Spain) 225
Spectrofluorimetric study of the β-cyclodextrin–ibuprofen complex and determination of ibuprofen in pharmaceutical preparations and serum
L.A. Hergert and G.M. Escandar (Rosario, Argentina) 235
Determination of oxolinic acid in cow's milk and human urine by means of a single-use phosphorimetric sensor
L.F. Capitán-Vallvey, O.M.A. Al-Barbarawi, M.D. Fernández-Ramos and R. Avidad (Granada, Spain) 247
Influence of water sample storage protocols in chemiluminescence detection of trace elements
Y. Moliner-Martínez, S. Meseguer-Lloret, L.A. Tortajada-Genaro and P. Campíns-Falcó (Valencia, Spain) 257
Spectroscopic analysis of the interaction of a peptide sequence of Hepatitis G virus with bilayers
M. Alay, J. Prat, I. Haro, N. Rojo, M.A. Alsina and M.A. Busquets (Barcelona, Spain) 269
Monitoring of phenylurea and propanil herbicides in river water by solid-phase-extraction high performance liquid chromatography with photoinduced-fluorimetric detection
A.M. de la Peña, M.C. Mahedero and A. Bautista-Sánchez (Badajoz, Spain) 279
The development of solid-surface fluorescence characterization of polycyclic aromatic hydrocarbons for potential screening tests in environmental samples
J.F. Fernández-Sánchez, A. Segura Carretero, C. Cruces-Blanco and A. Fernández-Gutiérrez (Granada, Spain) 287
Molecular and atomic ultra trace analysis by laser induced fluorescence with OPO system and ICCD camera
L. Burel, P. Giamarchi, L. Stephan, Y. Lijour and A. Le Bihan (Brest, France) 295

A new method for immunoassays using field-flow fractionation with on-line, continuous chemiluminescence detection
D. Melucci, M. Guardigli, B. Roda, A. Zattoni, P. Reschiglian and A. Roda (Bologna, Italy) 303
A flow-through fluorimetric sensing device for determination of α- and β-naphthol mixtures using a partial least-squares multivariate calibration approach
S. Ortega-Algar, N. Ramos-Martos and A. Molina-Díaz (Jaén, Spain) 313
Chromatographic determinations of a β-lactam antibiotic, cefaclor by means of fluorescence, chemiluminescence and mass spectrometry
M. Kai, H. Kinoshita and M. Morizono (Nagasaki, Japan) 325
Correction of predicted concentration in the use of solvent-based calibration lines for determining carbendazim, fuberidazole and thiabendazole in water after a SPE step
D. Picón Zamora, J.L. Martínez Vidal, M. Martínez Galera, A. Garrido Frenich, J.L. López González (Almería, Spain) and M.R. Arahal (Sevilla, Spain) 335
Characterization of new fluorescent peroxidase substrates
H. Akhavan-Tafti, R. deSilva, R. Eickholt, R. Handley, M. Mazelis and M. Sandison (Southfield, MI, USA) 345
Simultaneous quantification of chlorophenoxyacid herbicides based on time-resolved photochemical derivatization to induce fluorescence in micellar medium
E.M. Almansa Lopez, A.M. García-Campaña (Granada, Spain), J.J. Aaron (Paris, France) and L. Cuadros Rodríguez (Granada, Spain) 355
Determination of tyrosine through a FIA-direct chemiluminescence procedure
M.C. Sanfeliu Alonso, L. Lahuerta Zamora and J. Martínez Calatayud (Valencia, Spain) 369
Logistic-exponential model for chemiluminescence kinetics
B. Kochel (Wrocław, Poland) 377
Interaction of E2 and NS3 synthetic peptides of GB virus C/hepatitis G virus with model lipid membranes
N. Rojo, M.J. Gómara, M.A. Busquets, M.A. Alsina and I. Haro (Barcelona, Spain) 395
FI-on line photochemical reaction for direct chemiluminescence determination of photodegradated chloramphenicol
M.C. Icardo (Valencia, Spain), M. Misiewicz (Bialystok, Poland), A. Ciucu (Bucarest, Romania), J.V. García Mateo and J.M. Calatayud (Valencia, Spain) 405
Fluorometric sensors based on chemically modified enzymes: Glucose determination in drinks
V. Sanz, J. Galban, S. de Marcos and J.R. Castillo (Zaragoza, Spain) 415
Reverse flow-injection manifold for spectrofluorimetric determination of aluminum in drinking water
G. Albendín, M.P. Mánuel-Vez, C. Moreno and M. García-Vargas (Cádiz, Spain) 425
A new approach to qualitative analysis of organophosphorus pesticide residues in cucumber using a double gas chromatographic system: GC-pulsed-flame photometry and retention time locking GC–mass spectrometry
J.A. Muñoz, E.F. González, L.E. García-Ayuso (El Ejido, Spain), A.G. Casado and L. Cuadros-Rodríguez (Granada, Spain) 433
Analysis of polycyclic aromatic hydrocarbons in HPLC fractions by laser-excited time-resolved Shpol'skii spectrometry with cryogenic fiber-optic probes
A.J. Bystol, S. Yu and A.D. Campiglia (Fargo, ND, USA) 449
Fluorimetric determination of the levels of urinary neopterin and serum thiobarbituric acid reactive substances in the nonagenarians
D. Solichová, B. Melichar, M. Klejna, B. Jurašková (Hradec Králové, Czech Republic), L. Královská (Pardubice, Czech Republic), V. Bláha, P. Zd'ánský and Ž. Zadák (Hradec Králové, Czech Republic) 459
On-line screening methods for antioxidants scavenging superoxide anion radical and hydrogen peroxide by liquid chromatography with indirect chemiluminescence detection
T. Toyo'oka, T. Kashiwazaki and M. Kato (Shizuoka, Japan) 467
A fluorimetric study of pindolol and its complexes with cyclodextrins
C. Gazpio, M. Sánchez, A. Zornoza, C. Martín, C. Martínez-Ohárriz and I. Vélaz (Pamplona, Spain) 477
Fluorescence analysis of the interaction of two peptide sequences of hepatitis GB virus C with liposomes
M. Muñoz, N. Rojo, I. Haro, V. Girona, C. Mestres and M.A. Busquets (Barcelona, Spain) 483
Spectrofluorimetric determination of stoichiometry and association constants of the complexes of harmane and harmine with β-cyclodextrin and chemically modified β-cyclodextrins
L. Martín, A. León, A.I. Olives, B. del Castillo and M.A. Martín (Madrid, Spain) 493
Fluorometric assay of lipoperoxides and chromatographic analysis of α-tocopherol and fatty acids as biomarkers of risk from coronary atherosclerosis
V. Bláha, D. Solichová, D. Černohorský, R. Hyšpler, P. Ždánský and Z. Zadák (Hradec Králové, Czech Republic) . 505
A demonstration model for a selective and recyclable uptake of metals from water: Fe(III) ions complexation and release by a supported natural fluorescent chelator
M. Mureseanu, G. Renard, A. Galarneau and D.A. Lerner (Montpellier, France) 515

Use of highly efficient Draper–Lin small composite designs in the formal optimisation of both operational and chemical crucial variables affecting a FIA-chemiluminescence detection system
L. Gámiz-Gracia, L. Cuadros-Rodríguez, E. Almansa-López, J.J. Soto-Chinchilla and A.M. García-Campaña (Granada, Spain) 523
An operational pH in aqueous dimethylsulfoxide based upon the acidity dependence of the rate of a simple ionic recombination reaction in the lowest excited singlet state
R. Yang and S.G. Schulman (Gainesville, FL, USA) 535
Evidence for lipids–calcium ions interactions using fluorescent probing in paediatric nutrition admixtures
V. Hernando, A. Rieutord (Chatenay-Malabry, Paris, France), F. Brion (Paris, France) and P. Prognon (Chatenay-Malabry, France) 543
Anti-oxygen-quenching room temperature phosphorescence stabilized by deoxycholate aggregate
G.-R. Li, J.-J. Wu, W.-J. Jin (Taiyuan, China) and J.-W. Xie (Beijing, China). 555
Flow-through bulk optode for the fluorimetric determination of perchlorate
J.A. Ortuño, M.I. Albero, M.S. García, C. Sánchez-Pedreño, M.I. García and R. Expósito (Murcia, Spain) 563
Photodegradation kinetics of some indolecarboxylic acids and their regulation effects on plant growth (groundnut and haricot bean)
D. Sarr, A. Coly, S.E. Douabalé, A. Tine, S. Traoré and N. Diallo (Dakar, Senegal) 571
Contributions to the determination of histamine rate by measuring out the histamine–orthophthalaldehyde complex in the absorption and fluorescence
S.E. Douabalé, M. Dione, A. Coly and A. Tine (Dakar, Senegal) 581
Interaction of a laminin derived peptide with phosphatidyl choline/phosphatidyl glycerol
F. Reig, P. Sospedra, A. Juvé and L. Rodriguez (Barcelona, Spain). 591
Application of the chemiluminescence systems to evaluate the role of Fcγ and complement receptors in stimulating the oxidative burst in neutrophils
C.M.O.S. Alves, C.M. Marzocchi-Machado, I.F. Carvalho and Y.M. Lucisano Valim (Ribeirão Preto, Brazil) 601
Study of phenolic compounds as natural antioxidants by a fluorescence method
M. López, F. Martínez, C. Del Valle, M. Ferrit and R. Luque (Granada, Spain) 609
Intraoperative chemiluminometric assay for simplified localization of parathyroid adenomas during surgery for primary hyperparathyroidism
H. Bergert, T. Zimmermann, D. Ockert, I. Alldinger, S. Kersting and H.D. Saeger (Dresden, Germany) 617

Short communications
Prediction of the chemiluminescent behaviour of phenols and polyphenols
B. Gómez-Taylor Corominas, G.M. Antón Fos, J.V. García Mateo, L. Lahuerta Zamora and J. Martínez Calatayud (Valencia, Spain). 623
Modulated anisotropy fluorescence for quantitative determination of carbaryl and benomyl
A.N. Díaz, F. García Sánchez and M.M. López Guerrero (Malaga, Spain) 629

Calendar of forthcoming meetings N5

No. 4 **4 July 2003**

Regular papers
Measurement of lactate in whole human blood with near-infrared transmission spectroscopy
D. Lafrance, L.C. Lands and D.H. Burns (Montreal, Canada) 635
Simultaneous determination of zirconium and hafnium as ternary complexes with 5-Br-PADAP and fluoride using solid-phase extraction and reversed-phase liquid chromatography
S. Oszwałdowski and J. Jakubowska (Warsaw, Poland) 643
A comparison among different instrumental approaches for bromide analysis in foodstuffs digested by a suitably modified microwave procedure
F. Di Narda, R. Toniolo, S. Susmel, A. Pizzariello and G. Bontempelli (Udine, Italy) 653
Use of marker ion and cationic surfactant plastic membrane electrode for potentiometric titration of cationic polyelectrolytes
T. Masadome and T. Imato (Fukuoka, Japan) 663
Spectrophotometric study of Cd(II), Pb(II), Hg(II) and Zn(II) complexes with 5,10,15,20-tetrakis(4-carboxylphenyl)porphyrin
K. Kilian and K. Pyrzyńska (Warsaw, Poland) 669

Determination of aristolochic acids in medicinal plant and herbal product by liquid chromatography–electrospray–ion trap mass spectrometry
S.-A. Chan, M.-J. Chen, T.-Y. Liu, M.-R. Fuh, J.-F. Deng, M.-L. Wu and S.-J. Hsieh (Taipei, Taiwan, ROC) 679
Screening direct analysis of PAHS in atmospheric particulate matter with SPME
J.M. Vaz (Sao Paulo, Brazil). 687
Ultra-simple adaptor to convert batch cells with mercury drop electrodes in voltammetric detectors for flow analysis
J.J. Pedrotti and I.G.R. Gutz (São Paulo, Brazil). 695
Chromium(III) ion selective electrode based on glyoxal bis(2-hydroxyanil)
M.B. Gholivand and F. Sharifpour (Kermanshah, Iran) 707
Microwave digestion of sediment, soils and urban particulate matter for trace metal analysis
V. Sandroni, C.M.M. Smith and A. Donovan (Cork, Ireland) 715
Determination of some thiophosphorus insecticides based on coulometric titration with the anodically generated chlorine: a further insight in the reaction mechanism in aqueous medium
W. Ciesielski, M. Skowron (Łódź, Poland), P. Bałczewski (Łódź, Czestochowa, Poland) and A. Szadowiak (Łódź, Poland) 725
A surface plasmon resonance immunosensor for detecting a dioxin precursor using a gold binding polypeptide
N. Soh, T. Tokuda, T. Watanabe, K. Mishima, T. Imato, T. Masadome (Fukuoka, Japan), Y. Asano, S. Okutani (Aomori, Japan), O. Niwa (Atsugi-shi, Japan) and S. Brown (Copenhagen, Denmark) 733
Effect of γ-irradiation of ion imprinted polymer (IIP) particles for the preconcentrative separation of dysprosium from other selected lanthanides
V.M. Biju, J.M. Gladis and T.P. Rao (Trivandrum, India) 747
Gas chromatography-olfactometry analysis of the volatile compounds of two commercial Irish beef meats
D. Machiels (Liège, Belgium), S.M. van Ruth (Cork, Ireland), M.A. Posthumus (Wageningen, The Netherlands) and L. Istasse (Liège, Belgium) 755
Multicomponent determination of pesticides in vegetables by gas chromatography with mass spectrometric detection and multivariate calibration
A. Garrido Frenich, F.J. Arrebola Liébanas, M. Mateu-Sánchez and J.L. Martínez Vidal (Almeria, Spain) 765
Flow injection potentiometry by a new coated graphite ion-selective electrode for the determination of Pb^{2+}
H. Karami, M.F. Mousavi (Tehran, Iran) and M. Shamsipur (Kermanshah, Iran) 775
Determination of arsenic and antimony in milk by hydride generation atomic fluorescence spectrometry
P. Cava-Montesinos, M.L. Cervera, A. Pastor and M. de la Guardia (Valencia, Spain) 787
Molecular orientation of a model liquid crystal alignment layer
J.A. Ekhoff, M.J. Farrow, D.M. Walba and K.L. Rowlen (Boulder, CO, USA). 801
Multicommutation cold vapour atomic fluorescence determination of Hg in water
B.F. Reis, E. Ródenas-Torralba, J. Sancenón-Buleo, Á. Morales-Rubio and M. de la Guardia (Valencia, Spain). . . . 809
Sequential hydride generation/pneumatic nebulisation inductively coupled plasma mass spectrometry for the fractionation of arsenic and selenium species
S.L. Anderson and S.A. Pergantis (London, UK). 821
Spectrophotometric determination of bismuth in water samples after preconcentration of its thiourea–bromide ternary complex on activated carbon
T. Madrakian, A. Afkhami and A. Esmaeili (Hamadan, Iran) 831
Solid phase extraction of gold by sorption on octadecyl silica membrane disks modified with pentathia-15-crown-5 and determination by AAS
M. Bagheri, M.H. Mashhadizadeh and S. Razee (Kerman, Iran). 839

Short communications
Simultaneous determination of orthophosphate and total phosphates (inorganic phosphates plus purine nucleotides) using a bioamperometric flow-injection system made up by a 16-way switching valve
T. Yao, K. Takashima and Y. Nanjyo (Sakai, Japan) 845
A PVC-based 1,8-diaminonaphthalen electrode for selective determination of vanadyl ion
A. Akbari, M.F. Mousavi (Tehran, Iran), M. Shamsipur (Kermanshah, Iran) and M.S. Rahmanifar (Tehran, Iran) . . 853
A simple and selective flow-injection spectrophotometric determination of copper(II) by using acetylsalicylhydroxamic acid
A. Asan, I. Isildak, M. Andac and F. Yilmaz (Kurupelit-Samsun, Turkey). 861

Calendar of forthcoming meetings N9

No. 5 **27 July 2003**

Review

Application of flowing stream techniques to water analysis. Part I. Ionic species: dissolved inorganic carbon, nutrients and related compounds
M. Miró, J.M. Estela and V. Cerdà (Palma de Mallorca, Spain) 867

Regular papers

Anthraquinone-derivatised carbon powder: reagentless voltammetric pH electrodes
G.G. Wildgoose, M. Pandurangappa, N.S. Lawrence (Oxford, UK), L. Jiang, T.G.J. Jones (Cambridge, UK) and R.G. Compton (Oxford, UK) 887

Analytical study by SEM/EDX and metallographic techniques of materials used in the iron production process during the iberian period
J.V. Gimeno Adelantado, M.A. Ferrer Eres, F.M. Valle Algarra, J. Peris Vicente and F. Bosch Reig (Valencia, Spain) 895

Adsorptive stripping voltammetric determination of the anti-inflammatory drug celecoxib in pharmaceutical formulation and human serum
M.M. Ghoneim (Tanta, Egypt) and A.M. Beltagi (Kafr El-Sheikh, Egypt) 911

EPR investigation of γ-irradiated anti-emetic drugs
G. Damian (Cluj-Napoca, Romania) 923

Gallium trace on-line preconcentration/separation and determination using a polyurethane foam mini-column and flame atomic absorption spectrometry. Application in aluminum alloys, natural waters and urine
A.N. Anthemidis, G.A. Zachariadis and J.A. Stratis (Thessaloniki, Greece) 929

The problem of multivariate classification of samples with radial (or V-shaped) chemical data
R. Aruga (Turin, Italy) 937

Stability-indicating methods for the determination of linezolid in the presence of its alkaline-induced degradation products
L.I. Bebawy (Giza, Egypt) 945

Analysis of Sarcandra glabra and its medicinal preparations by capillary electrophoresis
W. Zheng, S. Wang, X. Chen and Z. Hu (Lanzhou, China) 955

Analysis of silica fume produced by zircon desilication
D.N. Phillips (Perth, Australia) and J. Carter (Rockingham, Australia) 961

Direct immunoassay of estriol in pregnancy serum by capillary electrophoresis with laser-induced fluorescence detector
P. Su, X.-X. Zhang, Y.-C. Wang and W.-B. Chang (Beijing, China). 969

Determination of cadmium in biological samples solubilized with tetramethylammonium hydroxide by electrothermal atomic absorption spectrometry, using ruthenium as permanent modifier
J.B.B. da Silva (Belo Horizonte, Brazil), D.L.G. Borges, M.A.M.S. da Veiga, A.J. Curtius and B. Welz (Florianópolis, Brazil). 977

Determination of L- and D-enantiomers of methotrexate using amperometric biosensors
R.-I. Stefan, R.G. Bokretsion, J.F. van Staden (Pretoria, South Africa) and H.Y. Aboul-Enein (Riyadh, Saudi Arabia) 983

Modification of the cation exchange resin properties by impregnation in polyethyleneimine solutions: Application to the separation of metallic ions
M. Amara and H. Kerdjoudj (Algiers, Algeria) 991

Selective pre-concentration of selenite from aqueous samples using mercapto-silica
F. Sahin, M. Volkan (Ankara, Turkey), A.G. Howard (Southampton, UK) and O.Y. Ataman (Ankara, Turkey) . . . 1003

Routine high-performance liquid chromatographic determination of ascorbic acid in foods using L-methionine for the pre-analysis sample stabilization
H. Iwase (Kawasaki, Japan) 1011

Regeneration of poly-L-lysine modified carbon electrodes in the accumulation and cathodic stripping voltammetric determination of the cromoglycate anion
F.C. Pereira (Araraquara, Brazil), A.G. Fogg (Luton, Loughborough, UK) and M.V.B. Zanoni (Araraquara, Brazil) . 1023

Spectrofluorometric determination of certain quinolone antibacterials using metal chelation
M.E. El-Kommos, G.A. Saleh, S.M. El-Gizawi and M.A. Abou-Elwafa (Assiut, Egypt) 1033

Generation and mid-IR measurement of a gas-phase to predict security parameters of aviation jet fuel
M.P. Gómez-Carracedo, J.M. Andrade, M.A. Calviño, D. Prada, E. Fernández and S. Muniategui (Coruna, Spain) . 1051

Amperometric determination of 6-mercaptopurine on functionalized multi-wall carbon nanotubes modified electrode by liquid chromatography coupled with microdialysis and its application to pharmacokinetics in rabbit
X.-N. Cao (Shanghai, China), L. Lin (Zhejiang, China), Y.-Y. Zhou, G.-Y. Shi, W. Zhang (Shanghai, China), K. Yamamoto (Tokyo, Japan) and L.-T. Jin (Shanghai, China) 1063

Membrane electrodes sensitive to doubly charged surfactants. Application to a cationic gemini surfactant
J. Sirieix-Plénet, M. Turmine and P. Letellier (Paris, France) 1071

Short communication
Simultaneous determination of Sb(III) and Sb(V) by partial least squares regression
A. Abbaspour and M. Najafi (Shiraz, Iran) 1079

Calendar of forthcoming meetings N13

No. 6 **29 August 2003**

Review
Analytical determination of homocysteine: a review
O. Nekrassova, N.S. Lawrence and R.G. Compton (Oxford, UK) 1085

Regular papers
Spectrophotometric determination of tungsten(VI) enriched by nanometer-size titanium dioxide in water and sediment
S. Li (Zhangzhou, Wuhan, PR China), N. Deng (Wuhan, PR China), F. Zheng and Y. Huang (Zhangzhou, PR China) 1097
Use of silica gel chemically modified with zirconium phosphate for preconcentration and determination of lead and copper by flame atomic absorption spectrometry
E. Matoso, L.T. Kubota and S. Cadore (Campinas, Brazil) 1105
Two different strategies for the fluorimetric determination of piroxicam in serum
J.A. Arancibia and G.M. Escandar (Rosario, Argentina) 1113
Preparation of multiwall carbon nanotubes film modified electrode and its application to simultaneous determination of oxidizable amino acids in ion chromatography
J. Xu, Y. Wang, Y. Xian, L. Jin (Shanghai, China) and K. Tanaka (Aichi, Japan) 1123
The use of silica-immobilized brown alga (*Pilayella littoralis*) for metal preconcentration and determination by inductively coupled plasma optical emission spectrometry
E.N.V.M. Carrilho (São Carlos, Brazil; Boston, MA, USA), J.A. Nóbrega (São Carlos, Brazil) and T.R. Gilbert (Boston, MA, USA) 1131
8-Hydroxyquinoline anchored to silica gel via new moderate size linker: synthesis and applications as a metal ion collector for their flame atomic absorption spectrometric determination
A. Goswami, A.K. Singh (New Delhi, India) and B. Venkataramani (Mumbai, India) 1141
Evaluation of an on-line coupled continuous flow liquid membrane extraction and precolumn system as trace enrichment technique by liquid chromatographic determination of bisphenol A
J.-f. Liu (Beijing, China), X. Liang (Beijing, Xinxiang, China), G.-b. Jiang, Y.-q. Cai (Beijing, China), Q.-x. Zhou (Beijing, Xinxiang, China) and G.-g. Liu (Xinxiang, China) 1155
A simple flow injection-reduced volume column system for hemoglobin typing
B. Srisawang, P. Kongtawelert, S.K. Hartwell, J. Jakmunee and K. Grudpan (Chiang Mai, Thailand) 1163
Influence of hydrogen gas over the interference of acids in inductively coupled plasma atomic emission spectrometry
M. Murillo, R. Amaro and A. Fernández (Caracas, Venezuela) 1171
Utilization of activating and masking effects by ligands for highly selective catalytic spectrophotometric determination of copper and iron in natural waters
S. Ohno, N. Teshima, H. Zhang and T. Sakai (Toyota, Japan) 1177
Enantioseparation of 15 organic phosphonate esters on the cellulose tris(3,5-dimethylphenyl carbamate) chiral stationary phase by HPLC
W. Du, G. Yang, X. Wang, S. Yuan, L. Zhou, D. Xu and C. Liu (Jinan, China) 1187
Rapid, selective and direct spectrophotometeric determination of aliphatic amines with m-dinitrobenzene
Z.M. Siddiqi and D. Pathania (Jalandhar, India) 1197
Ion chromatographic determination of some anions and alkaline cations in liquid crystal materials after ultraviolet irradiation
Y. Liu and S. Mou (Beijing, China) 1205
Determination of phosphate in hydroponic nutrient solutions using flow injection potentiometry and a cobalt-wire phosphate ion-selective electrode
R. De Marco and C. Phan (Perth, Australia) 1215
Simultaneous determination of creatine and creatinine using amperometric biosensors
R.-I. Stefan, R.G. Bokretsion, J.F. van Staden (Pretoria, South Africa) and H.Y. Aboul-Enein (Riyadh, Saudi Arabia) 1223

A specific HPLC-UV method for the determination of cysteine and related aminothiols in biological samples
K. Amarnath, V. Amarnath, K. Amarnath, H.L. Valentine and W.M. Valentine (Nashville, TN, USA) 1229
Microchip capillary electrophoresis with electrochemical detector for fast measurements of aromatic amino acids
J. Wang and G. Chen (Las Cruces, NM, USA). 1239
Determination of polynuclear aromatic hydrocarbons in aerosol by solid-phase extraction and gas chromatography–mass spectrum
M.-X. Xie, F. Xie, Z.-W. Deng and G.-S. Zhuang (Beijing, China) 1245
Classification of Venezuelan spirituous beverages by means of discriminant analysis and artificial neural networks based on their Zn, Cu and Fe concentrations
E.A. Hernández-Caraballo, R.M. Avila-Gómez (Mérida, Venezuela), T. Capote (Barquisimeto, Venezuela), F. Rivas and A.G. Pérez (Mérida, Venezuela) 1259
Determination of ammonia in beers by pervaporation flow injection analysis and spectrophotometric detection
L. Wang, T.J. Cardwell, R.W. Cattrall (Bundoora, Australia), M.D. Luque de Castro (Cordoba, Spain) and S.D. Kolev (Melbourne, Australia) 1269
Novel flow injection-fluorometric method for the determination of trace silicate and its application to ultrapurified water analysis
A. Sabarudin, M. Oshima (Okayama, Japan), N. Ishii (Tokyo, Japan) and S. Motomizu (Okayama, Japan) 1277

Instructions for Authors 1287
Volume Contents 1289
Author Index. 1297
Subject Index. 1301
Calendar of forthcoming meetings N17